



Automotive Aftermarket Division

Tack Cloth Aqua

3M 50401

1) Part Numbers

50401

2) Description and end uses

A tacky cloth to be used for the removal of dust and other fine particles from the panel immediately prior to applying a coating to the panel surface.

The low Tack ensures no adhesive transfer if used to tack surface between basecoat application.

Style	Duralace
Colour	Blue
Composition	Approx. 70% Fibre Approx. 30% Binder
Fibres	50% Viscose Rayon 50% Polyester

3) Physical Properties

Properties	Typical Value	Units	Test
Weight	48	gr/m ²	TM 1150
Tensile Strength			
MD	540	N/12plies	TM 1005
CD	60	N/12plies	TM 1009
Thickness	2.12	mm/4plies	TM 1031
Tack Level	0.75	g	TM 1117
Version:		DP.02	
Updated:		20/01/2016	

4) Directions for Use



Technical Data Sheet

Effective: 29/4/16

Degrease panel to be coated with appropriate product (water based or solvent based) using 3M 34567 Professional Panel Wipes to remove any surface contaminants. Then, wipe off any excess degreaser with a clean 3M 34567 Professional Panel Wipe until all degreaser is removed from the panel. Remove 3M 50401 Tack Cloth Aqua from packaging and wipe Tack Cloth over the panel/s to remove dust and fine particles from the surface of the area to be coated immediately prior to applying coating.

5) Storage

3M 50401 Tack Cloth Aqua is supplied in a re-sealable packet. Ensure the packet is sealed after use to maximise product effectiveness.

6) Safety

Please refer to the Material Safety Data Sheet or contact your local 3M Toxicology Department.

3M 50401 Tack Cloth Aqua is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable but the accuracy or completeness thereof is not guaranteed. Please ensure before using our product that it is suitable for your intended use. All questions of reliability relating to this product are governed by the Terms of Sale subject, where applicable, to the prevailing law.



Technical Data Sheet

Effective: 29/4/16

For Additional Health and Safety Information

Denmark

3M a/s
Automotive Aftermarket
Hannemanns Allé 53
2300 København S
Tel: 43 48 01 00
3mkundeservicedk@mmm.com
www.3MAuto.dk

Finland

Suomen 3M Oy
Automotive Aftermarket
Keilaranta 6
02150 Espoo
Tel: 09 5252 1
tilaukset@mmm.com
www.3M.fi/autotuotteet

Norway

3M Norge AS
Automotive Aftermarket
Kanalveien 2
2004 Lillestrøm
Telefon: 06384
www.3m.no/auto
kundeservice@mmm.com

Sweden

3M Svenska AB
Automotive Aftermarket
Bileftermarknad
19189 Sollentuna
Tel. 08-922100
kundservice@mmm.com
3M.se/bileftermarknad