



Automotive Aftermarket Division

3M 80345 Polish Rosa

1) Part Numbers

80345 (1 litre bottles, box contains 12 bottles)

2) Description and end uses

3M Polish Rosa is a high performance automotive polymer wax which provides a deep gloss and lasting protection on refinish or original paints with exceptional clean off whether working on individual panels or whole cars.

Contains non-volatile silicones.

Product highlights:

- Silicone Polymer wax for high gloss and lasting protection
- Exceptional clean off whether working on large or small areas
- Non Volatile Silicones will not migrate through paint shop
- Does not stain typical automotive plastics or rubbers
- Has great clean off with all industry standard wipes

3M Polish Rosa is a high performance automotive polymer wax which provides a deep gloss and lasting protection on refinish or original paints with exceptional clean off whether working on individual panels or whole cars.

It can be used in the refinish or valeting market.

Contains non-volatile silicones which will not migrate in the air through the paint shop.

Care should be taken however not to touch panels already prepared for painting after handling the product without washing hands or changing disposable gloves.

Application will typically be with a disposable soft polishing wipe, eg 3M 34568 Perfect-it Polishing wipe.

If shops are daily waxing whole cars application can be made quicker using the 3M 05729 D/A Foam Glazing Pad on a dual action sander. This spreads quickly and easily and evenly. Wipe off remains manual.



Technical Data Sheet

Effective: 04/05/2017

Supersedes: 07/07/2006

Wipe off with the new soft Polishing Cloth 3M50400, the standard High Performance Polishing Cloth 3M60668 or the disposable Polishing Wipe 3M 34568.

The cloth products are more absorbent and can be used immediately after applying, wait for at least 1 minute if using disposable wipes.

Does not mark typical OEM plastics and rubber parts.

3) Physical Properties

Flash point:	62°C closed cup
Colour:	Pink
Consistency:	Viscous liquid
VOCs:	26.6% by weight
Viscosity:	12,000-22,000 cps
Wax:	Silicone polymer

4) Directions for Use

1. Shake before use
2. Squirt a line of wax on horizontal panels or onto the applicator for vertical panels.
3. Tip - if cloth/pad is dry on first use moisten slightly with water to ease spreading. Thereafter the cloth/pad is wet from product and doesn't need this.
4. Spread product using a circular motion.
5. Leave to dry for 1 minute, then remove excess product with a polishing Cloth or Wipe.
6. It is possible to apply on the whole car before wiping off and still have great clean up
7. The wipes/cloths will need turning occasionally when doing large areas

5) Storage

Avoid frost
Store upright
Practical shelf life is 2 years

6) Safety

Skin contact: Avoid contact with skin. In case of contact with skin, wash immediately with plenty of soap and water



Technical Data Sheet

Effective: 04/05/2017

Supersedes: 07/07/2006

Ingestion: If swallowed, do not induce vomiting. Seek medical advice immediately and show this container or label

Eye Contact: Avoid contact with eyes. In case of contact with eyes rinse immediately with plenty of water and seek medical advice.

Inhalation: Remove person to fresh air. If signs/symptoms develop, get medical attention.

3M 80345 Polish Rosa is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable but the accuracy or completeness thereof is not guaranteed. Please ensure before using our product that it is suitable for your intended use. All questions of reliability relating to this product are governed by the Terms of Sale subject, where applicable, to the prevailing law.

For Additional Health and Safety Information

Denmark

3M a/s
Automotive Aftermarket
Hannemanns Allé 53
2300 København S
Tel: 43 48 01 00
3mkundeservicedk@mmm.com
www.3MAuto.dk

Finland

Suomen 3M Oy
Automotive Aftermarket
Keilaranta 6
02150 Espoo
Tel: 09 5252 1
tilaukset@mmm.com
www.3M.fi/autotuotteet

Norway

3M Norge AS
Automotive Aftermarket
Kanalveien 2
2004 Lillestrøm
Telefon: 06384
www.3m.no/auto
kundeservice@mmm.com

Sweden

3M Svenska AB
Automotive Aftermarket
Bileftermarknad
19189 Sollentuna
Tel. 08-922100
kundservice@mmm.com
3M.se/bileftermarknad